

WEST Search History

DATE: Tuesday, May 07, 2002

Set Name Query
side by side

DB=USPT,PGPB,JPAB,EPAB,DWPI; PLUR=YES; OP=ADJ

L1 (fluorescence adj (polarization or anisotropy)) same (dual probe or
dual label)

Hit Count Set Name
result set

1 L1

END OF SEARCH HISTORY

WEST

Number of documents to display is limited to 50 for REV,KWIC format

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20010046050 A1

L1: Entry 1 of 1

File: PGPB

Nov 29, 2001

PGPUB-DOCUMENT-NUMBER: 20010046050
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20010046050 A1

TITLE: Instantaneous dual band fluorescence detection systems

PUBLICATION-DATE: November 29, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Hoyt, Clifford C.	Needham	MA	US	

US-CL-CURRENT: 356/417

ABSTRACT:

An apparatus for performing fluorescence detection of two or more biochemical probes and/or fluorescence measurement of fluorescence intensity at two or more spectral bands of light emitted from at least one sample spot is disclosed. The apparatus simultaneously directs emitted fluorescent light from multiple probes and/or at multiple spectral bands to different spots on a single pixelated detector.

L1: Entry 1 of 1

File: PGPB

Nov 29, 2001

DOCUMENT-IDENTIFIER: US 20010046050 A1

TITLE: Instantaneous dual band fluorescence detection systems

Summary of Invention Paragraph (15):

[0015] It is a further object of the present invention to enable performing dual label fluorescence polarization assays to detect single nucleotide polymorphism (SNP).

Summary of Invention Paragraph (21):

[0021] This arrangement can be used for dual band fluorescence assays of all kinds. It is ideal for dual-probe fluorescence polarization assays, since it simultaneously captures all ratios of intensity and of wavelength, eliminating lamp drift between measurements as a source of error. Blocking of the excitation source is achieved by a conventional long-pass filter, a holographic notch filter, or other blocking element, as is known in the art of instrument design. It is further possible to use bandpass or multiband filters to further define the spectral bands, which are primarily set by the birefringent network.

Summary of Invention Paragraph (27):

[0027] This invention is valuable when precise dual-label fluorescence assays and fluorescence polarization assays are needed, as in pharmacogenomics. It is also valuable in taking emission intensity ratios, as in Fluorescence Resonance Energy

Transfer (FRET) and membrane potential experiments.

Detail Description Paragraph (25) :

[0065] The ability to obtain fluorescence polarization data in two spectral bands, with high precision in each, is very powerful. Precision is one of the central FIGS. of merit in fluorescence polarization measurements, and also in most spectral band ratios. When performing dual-probe fluorescence polarization measurements, the requirement for precision in both bands is paramount. This is because there is inevitably spectral cross-talk between bands; that is, each probe will emit to some degree into both bands. This places more extreme signal-to-noise demands on the instrument, compared to a single-probe measurement. One must unmix the spectral cross-talk, and determine what proportion of the signal in each band came from which probe, in order to assess the degree of fluorescence polarization in each probe. Techniques for this unmixing and data analysis are taught in co-pending patent application "Multiple Label Fluorescence Polarization Assay System and Method", by the same inventor, filed the same day as this, the contents of which are hereby incorporated in full and made a part of this application.

Detail Description Paragraph (27):

[0067] This invention enables use of dual label fluorescence polarization measurements for single-nucleotide polymorphism (SNP) detection. No other instrument is capable of SNP measurement using fluorescence polarization assays. In this way the present invention makes possible for the first time an improved method of performing SNP assays, that takes advantage of the homogeneous, mix-and-read protocol of fluorescence polarization experiments. This greatly simplifies SNP assays, making them more economical and more reliable than was possible in the prior art using non fluorescent-polarization assays.

Full Title                                     <img alt

Generate Collection

Print

Term	Documents
FLUORESCENCE.DWPI,EPAB,JPAB,USPT,PGPB.	56168
FLUORESCENCES.DWPI,EPAB,JPAB,USPT,PGPB.	371
POLARIZATION.DWPI,EPAB,JPAB,USPT,PGPB.	84495
POLARISATION.DWPI,EPAB,JPAB,USPT,PGPB.	22936
POLARISATIONS.DWPI,EPAB,JPAB,USPT,PGPB.	1075
POLARIZATIONS.DWPI,EPAB,JPAB,USPT,PGPB.	6668
ANISOTROPY.DWPI,EPAB,JPAB,USPT,PGPB.	36711
ANISOTROPIES.DWPI,EPAB,JPAB,USPT,PGPB.	856
ANISOTROPYS.DWPI,EPAB,JPAB,USPT,PGPB.	9
DUAL.DWPI,EPAB,JPAB,USPT,PGPB.	271368
DUALS.DWPI,EPAB,JPAB,USPT,PGPB.	207
((FLUORESCENCE ADJ (POLARIZATION OR ANISOTROPY)) SAME (DUAL PROBE OR DUAL LABEL)).USPT,PGPB,JPAB,EPAB,DWPI.	1

There are more results than shown above. Click here to view the entire set.

Display Format: REV, K

Previous Page Next Page

Welcome to STN International! Enter x:x

LOGINID: SSSPTA1805JXB

PASSWORD :

TERMINAL (ENTER 1, 2, 3, OR ?):2

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 09:38:11 ON 07 MAY 2002

=> file .pub	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'MEDLINE' ENTERED AT 09:38:19 ON 07 MAY 2002

FILE 'BIOSIS' ENTERED AT 09:38:19 ON 07 MAY 2002
COPYRIGHT (C) 2002 BIOLOGICAL ABSTRACTS INC. (R)

=> (fluorescence (w) (polarization or anisotropy)) and (dual probe or dual label)
(FLUORESCENCE IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s (fluorescence (w) (polarization or anisotropy)) and (dual probe or dual label)
L1 0 (FLUORESCENCE (W) (POLARIZATION OR ANISOTROPY)) AND (DUAL PROBE
OR DUAL LABEL)

=>

---Logging off of STN---

=>
Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.42	2.63

STN INTERNATIONAL LOGOFF AT 09:40:35 ON 07 MAY 2002